

# EDIUS Pro 9

Nonlinear Editing Software



“No other video editing system can handle the variety of file formats we receive.”

Grant Salinger, Managing Director, Motionlink

When an editor has to wait for technology, creativity suffers. That doesn't happen with EDIUS Pro 9. EDIUS Pro 9 means more formats and more resolutions in real time for the ability to *Edit Anything, Fast*. EDIUS Pro 9 is the perfect finishing tool for professional productions, including documentary and 4K and HDR theatrical productions.

With more creative options and real-time, no-render editing of all popular SD, HD and even 4K and HDR formats, EDIUS Pro 9 is *THE* most versatile and fastest nonlinear editing software available.

EDIUS Pro 9 from Grass Valley, a Belden Brand, gives you real-time editing of multiple formats and frame rates all on the same timeline. That means you can edit faster... and make the time to be more creative.

### More Formats, Better Workflows

EDIUS Pro 9 includes native support for all commonly used file formats, including Sony XDCAM, Panasonic P2, Canon XF and EOS movie and RED formats. For post-production work you can use Grass Valley's high-performance intermediate 10-bit codec, HQX, and there is an option available to add the Avid DNxHD codec (included as standard in the Workgroup version).

Where EDIUS Pro 9 really shines, however, is with its fast and comprehensive implementation of newer file formats, for example Sony XAVC (Intra/Long GOP)/XAVC S, Panasonic AVC-Ultra, Canon XF-AVC and various Log/RAW files. With EDIUS Pro 9, you'll always be able to edit, whatever format comes your way.

### You Buy It, You Keep It — No Subscription Fees

Unlike other NLE software providers, Grass Valley believes that you should own what you pay for. With EDIUS Pro 9, there are no ongoing subscription fees. When you purchase EDIUS Pro 9, you get a permanent license with free updates throughout the life of EDIUS Pro 9.x.

Plus, you can install EDIUS Pro 9 on two machines, so you can have it with you on your laptop (using proxy mode on a less powerful notebook, if needed), as well on a more powerful desktop machine. That way, you can take your edit suite on location with you.

### 64-bit & 4K HDR

Designed as a native 64-bit application for Windows 7, Windows 8.1 and Windows 10, EDIUS Pro 9 takes full advantage of up to 512 GB system memory (for Windows 8.1/10 Enterprise and Pro) or up to 192 GB (for Windows 7 Ultimate, Enterprise, and Professional) for super-intensive media operations, especially layering, 3D, multicam and multitrack 4K editing.

EDIUS Pro 9 is optimized for Intel's Quick Sync Video, a feature of all current Core processors (Core i7, Core i5 and Core i3) and especially useful for video editing because it significantly accelerates MPEG-2 and H.264 encoding.

EDIUS Pro 9 has been further enhanced to use Intel Quick Sync Video for H.264 decoding to give you super-smooth H.264 playback, including 4K.



“Real-time editing capability is a big deal. It allows me to focus on storytelling instead of ‘working’ an interface... and storytelling is at the core of what we do. In fact, I’d say the best feature of EDIUS is the play button. The play button works, and it works every single time it’s used. It’s no surprise that the EDIUS logo IS the play button.”

TheFrank Aldana, Director/Editor/VFX/Voiceover artist, Red Ei8ht Inc.

## A Choice of Hardware I/O

Grass Valley designs and manufactures high-quality desktop I/O hardware for EDIUS Pro 9:

- STORM 3G Elite: 3G-SDI I/O + HDMI I/O+ analog I/O + RS-422 control
- STORM 3G: 3G-SDI I/O + HDMI output + RS-422 control
- STORM Mobile: HDMI I/O + analog I/O
- STORM Pro: HD-SDI I/O + HDMI output

In addition EDIUS Pro 9 supports I/O hardware from the following third-party vendors:

- Blackmagic Design
  - **PCI Express:** Intensity Pro 4K, DeckLink SDI 4K, DeckLink Studio 4K, DeckLink 4K Extreme, DeckLink 4K Extreme 12G  
**Note:** Only supports preview (4K 50p/60p preview not supported.). Please check the online FAQ for details.
- AJA Video Systems
  - KONA 4, KONA 3G, KONA LHi  
**Note:** Only supports preview (4K 50p/60p preview not supported.). Please check the online FAQ for details.

For even more power and creative control during editing, EDIUS Pro 9 supports a number of third-party software plug-ins for more sophisticated titling, additional video and audio effects, keying and stabilization.

A list of third-party titling software and effects plug-ins is available on our website.

## Unrivaled Mixed-Format Editing

Featuring unrivaled real-time video transcoding technology, EDIUS Pro 9 converts between HD/SD and HDR/SDR resolutions, aspect ratios and frame rates — all in real time. You can edit in HD and place 4:3 SD video on the timeline, mix NTSC and PAL sources, add 4K or combine them all into projects in other resolutions and frame rates without wasting a single moment on conversion or rendering.

EDIUS Pro 9 supports resolutions from 24x24 to 4Kx2K, all on the same timeline, even in nested sequences, all in real time.

## Multiplatform Delivery

Finishing in a variety of formats is easy with EDIUS Pro 9. Output resolutions can be customized and then saved with a variety of file wrappers for distribution to professional and consumer systems.



## Mync

New for EDIUS Pro 9, Mync is a powerful new tool which allows you to manage all your video, audio and still image assets in preparation for editing in EDIUS. Mync is smart — when you connect a removable drive or card reader to your system, it will automatically detect supported formats and display them in the clip bin window.

## NewBlue's Titler Pro 5

In addition to the built-in titler in EDIUS Pro 9, all EDIUS Pro 9 users are eligible for a free download of NewBlue's Titler Pro 5 for EDIUS.

Titler Pro 5 for EDIUS is the standard for fast titling. It's easy-to-use, and delivers results beyond what's possible with EDIUS's built-in titling application.

Through its familiar drag-n-drop workflow and intuitive controls, Titler Pro 5 for EDIUS makes it easy to get started and quickly master. Create a stunning title in seconds by applying one of the over 100 animated templates, then customize the text, colors and more for a powerful result.

Titler Pro 5 for EDIUS takes the guesswork out of creating powerful, animated and multidimensional titles, allowing you to focus on what's important — editing your story.

*Titler Pro 5 is available as a separate download, free of charge for EDIUS Pro 9 users.*





“EDIUS allows us to cut the shows fast and efficiently, yet the viewer thinks we’re switching live. That’s what makes me the most proud. When a fan who attended the show enjoys the video, I know we’ve done something right.”


Jara Wallace, director and head of post-production, TourGigs

### KEY FEATURES

- Superior 4K workflow, including support for Blackmagic Design/AJA hardware (preview only) and EDL or AAF import/export with Grass Valley HQX with DaVinci Resolve
- Edit media files with different resolutions — from 24x24 to 4Kx2K
- Real-time conversion of frame rates on the same timeline delivers more efficient editing into the hands of editors
- Fast, flexible user interface, including unlimited video, audio, title and graphics tracks
- Support for the latest file formats — Sony XAVC (Intra/Long GOP)/XAVC S, Panasonic AVC-Ultra/AVC-Intra 422, AVC-Intra LT/LT 2K and Canon XF-AVC (import only), Sony RAW, Canon Cinema RAW/Cinema RAW Light, RED RAW, ProRes (Import only), DNxHD/HR (option), still image RAW
- Support for the latest color space and RAW files — HLG/PQ, S-Log, Canon Log, V-Log/V-Log L, J-Log1, F-Log and LUT (.cube) file import
- Work natively with many different video formats, including Sony XDCAM, Panasonic P2, Ikegami GF, Canon XF and EOS movie formats
- Fastest AVCHD editing on the market (up to 3+ streams in real time)
- Multicam editing of up to 16 different sources simultaneously, with video output support
- Improved MPEG decoder and encoder
- Improved H.264/AVC decoder and encoder (for fast encoding of 4K XAVC)
- Accelerated 4K H.264 playback
- Optimized for Intel Core i architecture
- New GUI design for faster workflows
- 64-bit native processing with maximum memory access for streamlined real-time editing
- Proxy mode workflow for legacy computers helps extend their usability and increase ROI
- Supports Intel Quick Sync Video for extremely fast H.264 export (for Blu-ray Disc burning)
- Fast handling of large quantities of still image files (JPG, TGA, DPX, Cinema DNG and others)
- Primary color correction (RGB)
- 3-way color correction (YUV)
- Motion tracking
- High quality slow-motion (optical flow)
- High speed and high quality stabilizer
- High performance video layouter
- Various synthetic video filters such as masks and keyers
- Built-in image stabilization
- Direct to Blu-ray Disc and DVD timeline export
- OFX support for Magic Bullet and Sapphire plug-ins
- Ability to save a current project as a template in order to re-use preferred track settings, screen layout, etc.
- H.265/HEVC decoding support
- Support for high-resolution displays


### New Features

- Native editing for HDR material
- Export in HDR for broadcasting and web distribution. This important enhancement addresses the growing use of HDR content and supplements the existing ability of EDIUS to work directly in 4K UHD
- Ability to mix SDR and HDR material on the same project, and output results in either color space
- Native end-to-end support for HDR contents from professional and consumer camcorders from major camera manufacturers, and also for HDR video from drones and smartphones
- Workflow updates, such as Canon EOS C200 “Cinema RAW Light” decoding, still raw file decoding and improvement of the user interface
- Third-party hardware support update
- Mync (media management software) bundled with EDIUS 9 implements a powerful new Meta Smart Search function
- EDIUS Pro 9 users are eligible for a free download of NewBlue’s Titler Pro 5 for EDIUS




MAIN INTERFACE


COLOR SPACE



CLIP INFO (INCLUDING HDR)



MP4 10-BIT EXPORT



# EDIUS Pro 9 Nonlinear Editing Software

## SPECIFICATIONS

### Minimum System Requirements (standalone):

**OS:** Windows 7 (64-bit) SP1 or later, Windows 8.1 (64-bit), Windows 10 (64-bit) (version 1607 or later).

*Note: See Memory section below for physical memory limits of each OS.*

**CPU:** Any Intel Core 2 or Core iX CPU; any Intel or AMD CPU with SSE3

*Note: Multiple CPUs and/or multicore CPUs are recommended.*

### Memory:

4 GB RAM minimum

Requirements for RAM and video memory vary depending on the project format. For SD/HD projects: 4 GB or more RAM recommended. For 4K projects: 8 GB or more RAM recommended

Maximum amount of RAM is based on the physical memory limits of each OS.

Windows 10, Enterprise and Pro, 64-bit: 512 GB

Windows 8.1, Enterprise and Professional, 64-bit: 512 GB

Windows 8.1, 64-bit: 128 GB

Windows 7, Ultimate, Enterprise, and Pro, 64-bit: 192 GB

Windows 7, Home Premium, 64-bit: 16 GB (not recommended for complex 4K projects)

Windows 7, Home Basic, 64-bit: 8 GB (not recommended for projects above HD resolution)

Project Format		RAM		Video Memory	
Resolution	depth	minimum	recommended	minimum	recommended
SD and below	8-bit	1 GB	2 GB	256 MB	512 MB
	10-bit	2 GB	4 GB	512 MB	1 GB
HD	8-bit	4 GB	4 GB	512 MB	1 GB
	10-bit	4 GB	4 GB	1 GB	2 GB
Over HD (including 4K)	8-bit	8 GB	8 GB or more	2 GB	2 GB or more
	10-bit	8 GB	8 GB or more	2 GB	2 GB or more

### Graphics Card

Supporting higher resolution than 1024x768 32-bit. Direct3D 9.0c or later and PixelShader Model 3.0 or later is required

Requirements for video memory size when using GPUfx will vary depending on the project format. For 10-bit SD projects: 1 GB or more recommended, for HD/4K projects 2 GB or more recommended

*Note: Requirements for video memory vary depending on the project format. See Memory section above for details.*

### Hard Disk

6 GB of hard disk space is required for installation

Drive with SATA/7,200 RPM or faster is required for video storage:

Available hard drive disc space should be twice the size of the file to be edited  
RAID-0 is recommended for HD and above resolution editing

### Supported Languages

English, Japanese, French, German, Italian, Spanish and Chinese (traditional, simplified)

### Hardware Support

EDIUS 9 supports the following Grass Valley hardware:

STORM 3G Elite  
STORM 3G  
STORM Pro  
STORM Mobile  
HDSPARK Pro  
HDSPARK

### Optical Drive

Blu-ray Disc writer is required when creating Blu-ray Discs

DVD-R/RW or DVD+R/RW drive is required when creating DVDs

### Sound Card

Sound card with WDM driver support is required.

### Network

Internet connection required for software license activation; thereafter Internet connection is required once per month to maintain usage.

### Service and Support

90-day limited warranty.

*Note: External video decks/cameras may require a USB 2.0 port for connectivity.*

## ORDERING

### EDIUS Pro 9

#### EDIUS Pro 9 Upgrade

Upgrade from EDIUS Pro 8 and EDIUS Workgroup 8 (Cannot upgrade from prior versions of EDIUS, or education versions)

#### EDIUS Pro 9 Jump Upgrade

Upgrade from EDIUS 2-7/EDIUS Neo

#### EDIUS Pro 9 Education


(Requires proof of full-time educational status and is not upgradable)

#### Option

DNxHD Option for EDIUS Pro 9

#### Package Contents (retail version only)

EDIUS Pro 9 installation disc (DVD-ROM)



WWW.GRASSVALLEY.COM

Join the Conversation at **GrassValleyLive** on Facebook, Twitter, YouTube and **Grass Valley - A Belden Brand** on LinkedIn.



www.grassvalley.com/blog

GVB-1-0654C-EN-DS

Belden, Belden Sending All The Right Signals, and the Belden logo are trademarks or registered trademarks of Belden Inc. or its affiliated companies in the United States and other jurisdictions. Grass Valley products listed above are trademarks or registered trademarks of Belden Inc., GVBB Holdings S.A.R.L. or Grass Valley Canada. Belden Inc., GVBB Holdings S.A.R.L., Grass Valley Canada and other parties may also have trademark rights in other terms used herein.

Copyright © 2015-2017 Grass Valley Canada. All rights reserved. Specifications subject to change without notice.